Author index

Abdel-Mageed, O.H., see Melchior, D.L. (1028) 1
Ahl, P.L., Price, R., Smuda, J., Gaber, B.P. and Singh, A.
Insertion of bacteriorhodopsin into polymerized diacetylenic phosphatidylcholine bilayers (1028) 141
Akiyama, M., see Matuoka, S. (1028) 103
Ambroz, C., Fein, H.G. and Smallridge, R.C.
Na^+-ionophore, monensin-induced rise in cytoplasmic free calcium depends on the presence of extracellular calcium in FRTL-5 rat thyroid cells (1028) 229
Amemiya, Y., see Matuoka, S. (1028) 103
Aran, J.M., see Plagemann, P.G.W. (1028) 289

Baldwin, J.M., O'Reilly, R., Whitney, M. and Lucy, J.A.
Surface exposure of phosphatidylserine is associated with the swelling and osmotically-induced fusion of human erythrocytes in the presence of Ca^{2+} (1028) 14
Bally, M.B., see Loughrey, H.C. (1028) 73
Batchiulis, V., see Toplak, H. (1028) 67
Béliveau, R., Jetté, M., Demeule, M., Potier, M., Lee, J. and Tenenhouse, H.S.
Different molecular sizes for Na^+-dependent phosphonoformic acid binding and phosphate transport in renal brush border membrane vesicles (1028) 110
Benveniste, P., see Schuler, I. (1028) 82
Berenski, C.J., see Jhun, B.H. (1028) 251
Biondi, A.C. and Disalvo, E.A.
Effect of glycerol on the interfacial properties of dipalmitoylphosphatidylcholine liposomes as measured with merocyanine 540 (1028) 43
Borchardt, R.T., see Hidalgo, I.J. (1028) 25
Bordi, F., Cametti, C. and Di Biasio, A.
Determination of cell membrane passive electrical properties using frequency domain dielectric spectroscopy technique. A new approach (1028) 201
Butcher, P.A., see Shaw, A.M. (1028) 9
Butterfield, D.A., see Chao, L.N. (1028) 245

Calderón, V., see Cerbón, J. (1028) 261
Cametti, C., see Bordi, F. (1028) 201
Campione, A.L., see Van Winkle, L.J. (1028) 165
Carruthers, A., see Melchior, D.L. (1028) 1
Cerbón, J. and Calderón, V.
Proton-linked transport systems as sensors of changes in the membrane surface potential (1028) 261
Chakrabarti, S., Naik, A.A. and Reddy, G.R.
Phenylhydrazine mediated degradation of bovine serum albumin and membrane proteins of human erythrocytes (1028) 89
Chao, L.N. and Butterfield, D.A.
The effects of the extracellular manganese concentration and variation of the interpulse delay time in the CPMG sequence on water exchange time across erythrocyte membranes (1028) 245
Choi, L.S., see Loughrey, H.C. (1028) 73
Chu, J.W.K. and Sharom, F.J.
Interleukin-2 binds to gangliosides in micelles and lipid bilayers (1028) 205
Cullis, P.R., see Loughrey, H.C. (1028) 73

Das Gupta, S.K., see Makriyannis, A. (1028) 31
Demeule, M., see Béliveau, R. (1028) 110

Di Biasio, A., see Bordi, F. (1028) 201
Dierks, T., Salentin, A. and Krämer, R.
Pore-like and carrier-like properties of the mitochondrial aspartate/glutamate carrier after modification by SH-reagents: evidence for a preformed channel as a structural requirement of carrier-mediated transport (1028) 281
Dierks, T., Salentin, A., Heberger, C. and Krämer, R.
The mitochondrial aspartate/glutamate and ADP/ATP carrier switch from obligate counterexchange to unidirectional transport after modification by SH-reagents (1028) 268
Disalvo, E.A., see Biondi, A.C. (1028) 43
Donath, E., see Engel, J. (1028) 236
Dorset, D.L. and Zhang, W.
Lamellar packing of a chiral *N,N*-dimethylphosphatidylethanolamine: electron diffraction. Evidence for a lecithin-type headgroup conformation (1028) 299
Duclos, Jr., R.I., see Melchior, D.L. (1028) 1
Duportail, G., see Schuler, I. (1028) 82
Dürckheimer, W., see Kramer, W. (1028) 174

East, J.M., see Michelangeli, F. (1028) 49
East, J.M., see Michelangeli, F. (1028) 58
Engel, J., Ermakov, Y.A., Richter, W. and Donath, E.
Two different types of lysis of chromaffin granules characterised by freeze-fracture electron microscopy and photon correlation spectroscopy (1028) 236
Ermakov, Y.A., see Engel, J. (1028) 236
Escobar, A., see Núñez, M.T. (1028) 21

Fein, H.G., see Ambroz, C. (1028) 229
Fiorentini, D., see Landi, L. (1028) 223

Gaber, B.P., see Ahl, P.L. (1028) 141
Gaete, V., see Núñez, M.T. (1028) 21
Girbig, F., see Kramer, W. (1028) 174
Glasser, N., see Schuler, I. (1028) 82
Griffin, R.G., see Makriyannis, A. (1028) 31
Gutjahr, U., see Kramer, W. (1028) 174

Hartmann, M.-A., see Schuler, I. (1028) 82
Hatta, I., see Matuoka, S. (1028) 103
Hatta, I., see Ohki, K. (1028) 215
Heberger, C., see Dierks, T. (1028) 268
Hermetter, A., see Toplak, H. (1028) 67
Hidalgo, I.J. and Borchardt, R.T.
Transport of a large neutral amino acid (phenylalanine) in a human intestinal epithelial cell line: Caco-2 (1028) 25
Honegger, U.E., see Toplak, H. (1028) 67
Hunziker, T., see Toplak, H. (1028) 67

Iwashima, A., Kimura, Y. and Kawasaki, Y.
Transport overshoot during 2-methyl-4-amino-5-hydroxymethylpyrimidine uptake by *Saccharomyces cerevisiae* (1028) 161

Jetté, M., see Béliveau, R. (1028) 110
Jhun, B.H., Rampal, A.L., Berenski, C.J. and Jung, C.Y.
Chromatographic characterization of nitrobenzylthioinosine binding proteins in band 4.5 of human erythrocytes: purification of a 40 kDa truncated nucleoside transporter (1028) 251

Jona, I., Matko, J. and Martonosi, A.
Structural dynamics of the Ca^{2+}-ATPase of sarcoplasmic reticulum. Temperature profiles of fluorescence polarization and intramolecular energy transfer (1028) 183
Jung, C.Y., see Jhun, B.H. (1028) 251

Kamaya, H., see Yoshida, T. (1028) 95
Kato, S., see Matuoka, S. (1028) 103
Kawasaki, Y., see Iwashima, A. (1028) 161
Kimura, Y., see Iwashima, A. (1028) 161
Krämer, R., see Dierks, T. (1028) 268
Krämer, R., see Dierks, T. (1028) 281
Kramer, W., Dürckheimer, W., Girbig, F., Gutjahr, U., Leipe, I. and Oekonomopulos, R.
Influence of amino acid side-chain modification on the uptake system for β-lactam antibiotics and dipeptides from rabbit small intestine (1028) 174
Kruszewska, B., see Sparling, M.L. (1028) 117

Landi, L., Fiorentini, D., Stefanelli, C., Pasquali, P. and Pedulli, G.F.
Inhibition of autoxidation of egg yolk phosphatidylcholine in homogeneous solution and in liposomes by oxidized ubiquinone (1028) 223
Lee, A.G., see Michelangeli, F. (1028) 49
Lee, A.G., see Michelangeli, F. (1028) 58
Lee, J., see Béliveau, R. (1028) 110
Leipe, I., see Kramer, W. (1028) 174
Loughrey, H.C., Wong, K.F., Choi, L.S., Cullis, P.R. and Bally, M.B.
Protein-liposome conjugates with defined size distributions (1028) 73
Lucy, J.A., see Baldwin, J.M. (1028) 14

Makriyannis, A., Yang, D.-P., Griffin, R.G. and Das Gupta, S.K.
The perturbation of model membranes by (−)-Δ^9-tetrahydrocannabinol. Studies using solid-state ^{2}H- and ^{13}C-NMR (1028) 31
Makriyannis, A., see Melchior, D.L. (1028) 1
Martonosi, A., see Jona, I. (1028) 183
Matko, J., see Jona, I. (1028) 183
Matuoka, S., Kato, S., Akiyama, M., Amemiya, Y. and Hatta, I.
Temperature dependence of the ripple structure in dimyristoylphosphatidylcholine studied by synchrotron X-ray small-angle diffraction (1028) 103
Melchior, D.L., Carruthers, A., Makriyannis, A., Duclos, Jr., R.I. and Abdel-Mageed, O.H.
Alterations in red blood cell sugar transport by nanomolar concentrations of alkyl lysophospholipid (1028) 1
Michelangeli, F., Robson, M.J., East, J.M. and Lee, A.G.
The conformation of pyrethroids bound to lipid bilayers (1028) 49
Michelangeli, F., Robson, M.I., East, J.M. and Lee, A.G.
Fluorescence and kinetic studies of the interactions of pyrethroids with the (Ca^{2+} + Mg^{2+})-ATPase (1028) 58
Moghimi, S.M. and Patel, H.M.
Calcium as a possible modulator of Kupffer cell phagocytic function by regulating liver-specific opsonic activity (1028) 304

Naik, A.A., see Chakrabarti, S. (1028) 89
Núñez, M.T., Gaete, V. and Escobar, A.
Endocytic vesicles contain a calmodulin-activated Ca^{2+} pump that mediates the inhibition of acidification by calcium (1028) 21

Oekonomopulos, R., see Kramer, W. (1028) 174
Ohki, K., Tamura, K. and Hatta, I.
Ethanol induces interdigitated gel phase ($L_{\beta I}$) between lamellar gel phase ($L_{\beta'}$) and ripple phase ($P_{\beta'}$) in phosphatidylcholine membranes: a scanning density meter study (1028) 215
Okabayashi, H., see Yoshida, T. (1028) 95
Olver, R.E., see Shaw, A.M. (1028) 9
O'Reilly, R., see Baldwin, J.M. (1028) 14

Pasquali, P., see Landi, L. (1028) 223
Patel, H.M., see Moghimi, S.M. (1028) 304
Pedulli, G.F., see Landi, L. (1028) 223
Plagemann, P.G.W. and Aran, J.M.
Characterization of Na^+-dependent, active nucleoside transport in rat and mouse peritoneal macrophages, a mouse macrophage cell line and normal rat kidney cells (1028) 289
Potier, M., see Béliveau, R. (1028) 110
Price, R., see Ahl, P.L. (1028) 141

Rampal, A.L., see Jhun, B.H. (1028) 251
Reddy, G.R., see Chakrabarti, S. (1028) 89
Richter, W., see Engel, J. (1028) 236
Robson, M.J., see Michelangeli, F. (1028) 49
Robson, M.J., see Michelangeli, F. (1028) 58

Salentin, A., see Dierks, T. (1028) 268
Salentin, A., see Dierks, T. (1028) 281
Schuler, I., Duportail, G., Glasser, N., Benveniste, P. and Hartmann, M.-A.
Soybean phosphatidylcholine vesicles containing plant sterols: a fluorescence anisotropy study (1028) 82
Sharom, F.J., see Chu, J.W.K. (1028) 205
Shaw, A.M., Steele, L.W., Butcher, P.A., Ward, M.R. and Olver, R.E.
Sodium-proton exchange across the apical membrane of the alveolar type II cell of the fetal sheep (1028) 9
Singh, A., see Ahl, P.L. (1028) 141
Sixou, S. and Teissié, J.
Specific electropermeabilization of leucocytes in a blood sample and application to large volumes of cells (1028) 154
Smallridge, R.C., see Ambroz, C. (1028) 229
Smuda, J., see Ahl, P.L. (1028) 141
Sparling, M.L. and Kruszewska, B.
Membrane fractions display different lipid and enzyme content in three cell types in 16-cell stage embryos of sea urchins (1028) 117
Steele, L.W., see Shaw, A.M. (1028) 9
Stefanelli, C., see Landi, L. (1028) 223

Taga, K., see Yoshida, T. (1028) 95
Tamura, K., see Ohki, K. (1028) 215
Teissié, J., see Sixou, S. (1028) 154
Tenenhouse, H.S., see Béliveau, R. (1028) 110
Toplak, H., Batchiulis, V., Hermetter, A., Hunziker, T., Honegger, U.E. and Wiesmann, U.N.
Effects of culture and incubation conditions on membrane fluidity in monolayers of cultured cells measured as fluorescence anisotropy using trimethylammoniumdiphenylhexatriene (TMA-DPH) (1028) 67

Ueda, I., see Yoshida, T. (1028) 95

Van Winkle, L.J. and Campione, A.L.
Functional changes in cation-preferring amino acid transport during development of preimplantation mouse conceptuses (1028) 165

Ward, M.R., see Shaw, A.M. (1028) 9
Whitney, M., see Baldwin, J.M. (1028) 14
Wiesmann, U.N., see Toplak, H. (1028) 67
Wong, K.F., see Loughrey, H.C. (1028) 73

Yang, D.-P., see Makriyannis, A. (1028) 31
Yoshida, T., Taga, K., Okabayashi, H., Kamaya, H. and Ueda, I.
Proton flow along lipid bilayer surfaces: effect of halothane on the lateral surface conductance and membrane hydration (1028) 95

Zhang, W., see Dorset, D.L. (1028) 299